
Asthma Policy



HELP FOR NON-ENGLISH SPEAKERS

If you need help to understand the information in this policy, please contact Chelsea Primary School on 03 9773 2055 or chelsea.ps@education.vic.gov.au.

PURPOSE

To ensure that Chelsea Primary School appropriately supports students diagnosed with asthma.

OBJECTIVE

To explain to Chelsea Primary School parents/carers, staff and students the processes and procedures in place to support students diagnosed with asthma.

SCOPE

This policy applies to:

- all staff, including casual relief staff, contractors and volunteers
- all students who have been diagnosed with asthma or who may require emergency treatment for asthma and their parents/carers.

POLICY

Asthma

Asthma is a long-term lung condition. People with asthma have sensitive airways in their lungs which react to triggers, causing a 'flare-up'. In a flare-up, the muscles around the airway squeeze tight, the airways swell and become narrow and there is more mucus. This makes it hard to breathe. An asthma flare-up can come on slowly (over hours, days or even weeks) or very quickly (over minutes). A sudden or severe asthma flare-up is sometimes called an asthma attack.

Symptoms

Symptoms of asthma can vary over time and often vary from person to person. The most common asthma symptoms are:

- breathlessness
- wheezing (a whistling noise from the chest)
- tight feeling in the chest
- persistent cough

Symptoms often occur at night, early in the morning or during/just after physical activity. If asthma is well controlled, a person should only have occasional asthma symptoms.

Triggers

A trigger is something that sets off or starts asthma symptoms. Everyone with asthma has different triggers. For most people with asthma, triggers are only a problem when asthma is not well controlled with medication. Common asthma triggers include:

- exercise
- colds/flu
- smoke (cigarette smoke, wood smoke from open fires, burn-offs or bushfires)
- weather changes such as thunderstorms and cold, dry air
- house dust mites and moulds
- pollens
- animals such as cats and dogs
- chemicals such as household cleaning products
- deodorants (including perfumes, after-shaves, hair spray and aerosol deodorant sprays)
- food chemicals/additives
- certain medications (including aspirin and anti-inflammatories)
- laughter or emotions, such as stress

Individual Asthma management

If a student diagnosed with asthma enrolls at Chelsea Primary School:

1. Parents/carers must provide the school with an Asthma Action Plan which has been completed by the student's medical practitioner. The plan must outline:
 - the prescribed medication taken by the student and when it is to be administered, for example as a pre-medication to exercise or on a regular basis
 - emergency contact details
 - the contact details of the student's medical practitioner
 - the student's known triggers
 - the emergency procedures to be taken in the event of an asthma flare-up or attack.
2. Parents/carers should also provide a photo of the student to be included as part of the student's Asthma Action Plan.
3. Chelsea Primary School will keep all Asthma Action Plans:
 - in student files
 - in the medication folder on desk in the sick bay
 - In the class medication tubs in the cupboard in the sick bay
4. A student with an Asthma Action Plan only requires a Student Health Support Plan if their asthma is **not** well-controlled, and needs individualised medical or health-related supervision, care or adjustments at school. School staff will work with parents/carers to develop a Student Health Support Plan which will include details on:
 - how the school will provide support for the student
 - identify specific strategies
 - allocate staff to assist the student

Any Student Health Support Plan will be developed in accordance with Chelsea Primary School's [Health Care Needs Policy](#).

5. If a student diagnosed with asthma is going to attend a school camp or excursion, Chelsea Primary School parents/carers are required to provide any updated medical information.
6. If a student's asthma condition or treatment requirements change, parent/carers must notify the school and provide an updated Asthma Action Plan.

7. Once a year school staff will review Asthma Action Plans (and if relevant, Student Health Support Plans) and communicate with the parents/carers to provide updated medical or health advice (if available), and review and provide written confirmation that the Asthma Action Plan is still current.

Student asthma kit

All students diagnosed with asthma are required to have a student asthma kit at school which contains:

- their own prescribed reliever medication labelled with the student's name
- their spacer (if they use one)

Student asthma kits will be stored in sick bay.

Asthma emergency response plan

If a student is:

- having an asthma attack
- difficulty breathing for an unknown cause, even if they are not known to have asthma

School staff will endeavour to follow the Asthma First Aid procedures outlined in the table below.

School staff may contact Triple Zero "000" at any time.

Step	Action
1.	Sit the person upright <ul style="list-style-type: none"> • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's reliever, the Asthma Emergency Kit and the student's Asthma Action Plan (if available). • If the student's action plan is not immediately available, use the Asthma First Aid as described in Steps 2 to 5.
2.	Give 4 separate puffs of blue or blue/grey reliever puffer: <ul style="list-style-type: none"> • Shake the puffer • Use a spacer if you have one • Put 1 puff into the spacer • Take 4 breaths from the spacer Remember – Shake, 1 puff, 4 breaths
3.	Wait 4 minutes <ul style="list-style-type: none"> • If there is no improvement, give 4 more separate puffs of blue/grey reliever as above (or give 1 more dose of Bricanyl or Symbicort inhaler)
4.	If there is still no improvement call Triple Zero "000" and ask for an ambulance. <ul style="list-style-type: none"> • Tell the operator the student is having an asthma attack • Keep giving 4 separate puffs every 4 minutes until emergency assistance arrives (or 1 dose of Bricanyl or Symbicort every 4 minutes – up to 3 doses of Symbicort)
5.	If asthma is relieved after administering Asthma First Aid, stop the treatment and observe the student. Notify the student's emergency contact person and record the incident in eduSafe Plus.

Staff will call Triple Zero "000" immediately if:

- the student is not breathing
- the student is having a severe or life threatening attack (reliever medication not working at all; cannot speak a full sentence; extreme difficulty breathing; feeling asthma is out of control; lips turning blue)

- the student is having an asthma attack and a reliever is not available
- the student is known to have anaphylaxis – staff will follow their Anaphylaxis Action Plan then give asthma first aid
- at any time the student’s condition suddenly worsens or is not improving
- staff are otherwise concerned about the student’s health and safety.

Training for staff

Chelsea Primary School will arrange the following asthma management training for staff:

Staff	Completed by	Course	Provider	Cost	Valid for
Group 1 General Staff	School staff with a direct teaching role with students affected by asthma or other school staff directed by the Principal after conducting a risk assessment.	Asthma first aid management for education staff (non-accredited) One-hour online training.	Asthma Australia	Free to all schools	3 years
Group 2 Specific Staff	Staff working with high-risk children with a history of severe asthma, or with direct student wellbeing responsibility, (including nurses, PE/sport teachers, first aid and school staff attending camp)	<i>Course in the management of Asthma Risks and Emergencies in the Workplace</i> 22556VIC (accredited)	Any RTO that has this course in their scope of practice	Paid by Chelsea Primary School	3 years

Chelsea Primary School will also conduct an annual briefing for staff on:

- the procedures outlined in this policy
- the causes, symptoms and treatment of asthma
- identities of the students diagnosed with asthma
- how to use a puffer and spacer
- the location of the Asthma Emergency Kits, and asthma medication which was been provided by parents for student use

Chelsea Primary School will also provide this policy to casual relief staff and volunteers who will be working with students and may also provide a briefing if the Principal decides it is necessary depending on the nature of the work being performed.

Asthma Emergency Kit

Chelsea Primary School will provide and maintain at least two Asthma Emergency Kits, with an additional kit for every 300 students. One kit will be kept on school premises at the sick bay, and one will be stored in the (BER) building. One kit will be a mobile kit for activities such as:

- yard duty
- camps and excursions.

The Asthma Emergency Kit will contain:

- at least 1 blue or blue/grey reliever medication such as Airomir, Admol or Ventolin
- at least 2 spacer devices (for single person use only) to assist with effective inhalation of the blue or blue/grey reliever medication (Chelsea Primary School will ensure spare spacers are available as replacements). Spacers will be stored in a dust proof container.
- clear written instructions on Asthma First Aid, including:
 - how to use the medication and spacer devices
 - steps to be taken in treating an asthma attack
 - a record sheet/log to record when kit contents have been used to support kit maintenance, such as the number of puffs administered

The first aid officer will monitor and maintain the Asthma Emergency Kits. They will:

- ensure all contents are maintained and replaced where necessary
- regularly check the expiry date on the canisters of the blue or blue/grey reliever puffers and replace them if they have expired or a low on doses
- replace spacers in the Kits after each use (spacers are single-person use only)
- dispose of any previously used spacers.

The blue or blue/grey reliever medication in the Asthma Emergency Kits may be used by more than one student if they are used with a spacer. If the devices come into contact with someone's mouth, they will not be used again and will be replaced.

After each use of a blue or blue/grey reliever (with a spacer):

- remove the metal canister from the puffer (do not wash the canister)
- wash the plastic casing
- rinse the mouthpiece through the top and bottom under running water for at least 30 seconds
- wash the mouthpiece cover
- air dry then reassemble
- test the puffer to make sure no water remains in it, then return to the Asthma Emergency Kit.

Management of confidential medical information

Confidential medical information provided to Chelsea Primary School to support a student diagnosed with asthma will be:

- recorded on the student's file
- shared with all relevant staff so that they are able to properly support students diagnosed with asthma and respond appropriately if necessary.

Epidemic Thunderstorm Asthma

Chelsea Primary School will be prepared to act on the warnings and advice from the Department of Education and Training when the risk of epidemic thunderstorm asthma is forecast as high.

COMMUNICATION

This policy will be available on Chelsea Primary School's website so that parents and other members of the school community can easily access information about Chelsea Primary School's asthma management procedures.

This policy will also be communicated to our school community in the following ways:

- Included in staff induction processes and staff training
- Discussed at annual staff briefings/meetings
- Reminders in our school newsletter
- Hard copy available from school administration upon request

FURTHER INFORMATION AND RESOURCES

- Asthma Australia: [Resources for schools](#)
- Asthma Australia: [Asthma emergency kits](#)
- Policy and Advisory Library:
 - [Asthma](#)
 - [Treating an asthma attack](#)

POLICY REVIEW AND APPROVAL

Policy last reviewed	February 2026
Approved by	Taylor Irish - Principal
Next scheduled review date	February 2027